

Clamping Tools



Alico Export and Import
Pražská 677
294 71 Benátky nad Jizerou
CZECH REPUBLIC

alico@telecom.cz

Telephone +420 326 362 310
Fax +420 326 362 015

- jaws made of high-quality steel hardened to 45 HRC \pm 5 HRC
- large anvil
- integrated swivel base \pm 35° with position screws
- precise guide roll
- reamer holder with safety terminals

YORK Standard

- fastening to base plate by nuts
- no special surface finish.

YORK Lux

- fastening to base plate by levers
- main screw and levers zinc-chromated

YORK T

- with pipe jaws

Optional accessory :

- Reserve jaws
- Magnetic jaws insert
- Further informations you can find on "Accessory".

Pictures



York 125 Standard



York 125 Standard T



York 125 Lux



York 125 Lux T

Downloads

[Instructions](#)

Order No	Type	Price from	Weight	Width of jaws	Length of fasten	
		[euro]	[kg]	[mm]	[mm]	
01.01.01.01.0.0	York 63 Standard	37.66	4	63	55	0
01.01.01.01.1.0	York 63 Lux	45.66	4	63	55	0
01.01.01.02.0.0	York 80 Standard	45.27	6	80	70	0
01.01.01.02.1.0	York 80 Lux	52.57	6	80	70	0
01.01.01.03.0.0	York 100 Standard	73.66	12,5	100	105	0
01.01.01.03.1.0	York 100 Lux	84.00	12,5	100	105	0
01.01.01.04.0.0	York 125 Standard	103.70	20	125	115	0
01.01.01.04.0.1	York 125 Standard T	121.27	20	125	115	0
01.01.01.04.1.0	York 125 Lux	116.83	20	125	115	0
01.01.01.04.1.1	York 125 Lux T	134.35	20	125	115	0
01.01.01.05.0.0	York 150 Standard	151.83	30	150	125	0
01.01.01.05.0.1	York 150 Standard T	174.35	30	150	125	0
01.01.01.05.1.0	York 150 Lux	165.79	30	150	125	0
01.01.01.05.1.1	York 150 Lux T	188.22	30	150	125	0

The stated prices are for orientation only and do not include VAT 19%, parity: EXW Dobris CZ.

PIONEER 03

universal stand-mounted steel pipe vice
 high quality steel jaws
 stable floor
 tool deposition plate
 auxiliary holes for simple pipe bending
 easily transportable and readily set up

PIONEER 03 HD

strengthened supporting L profiles
 strengthened side plates
 safety hook with lever for one-hand use

PIONEER 03 Standard

main screw without special surface finishment

PIONEER 03 Lux

main screw zinc-chromated

Pictures



Pioneer 03 Standard

Downloads

[Instructions](#)

Order No	Type	Price from [euro]	Weight [kg]	Diameter of fasten ["]	
01.07.01.01.0.0	Pioneer 03 Standard	100.05	16	1/4"-3"	0
01.07.01.01.1.0	Pioneer 03 Lux	101.10	16	1/4"-3"	0
01.07.01.01.0.1	Pioneer 03 HD Standard	134.14	18	1/4"-3"	0
01.07.01.01.1.1	Pioneer 03 HD Lux	135.24	18	1/4"-3"	0

The stated prices are for orientation only and do not include VAT 19%, parity: EXW Dobris CZ.

PIONEER 03 A

universal stand-mounted steel pipe vice
 high quality steel jaws

PIONEER 03A HD

strengthened side plates
 safety hook with lever for one-hand use

PIONEER 03A Standard

main screw without special surface finishment

PIONEER 03A Lux

main screw zinc-chromated

Pictures



Pioneer 03A Standard

There are no files to be downloaded for this product

Order No	Type	Price from [euro]	Weight [kg]	Diameter of fasten ["]	
01.07.02.01.0.0	Pioneer 03A Standard	69.92	4,5	1/4"-3"	0
01.07.02.01.1.0	Pioneer 03A Lux	70.92	4,5	1/4"-3"	0
01.07.02.01.0.1	Pioneer 03A HD Standard	73.14	5,5	1/4"-3"	0
01.07.02.01.1.1	Pioneer 03A HD Lux	74.14	5,5	1/4"-3"	0

The stated prices are for orientation only and do not include VAT 19%, parity: EXW Dobris CZ.